

—
—

/

NSING TECHNOLOGIES INC.

109

+86-755-86309900

<https://www.nsingtech.com>

+86-755-86169100

518057

/

NSING TECHNOLOGIES INC.

109

+86-755-86309900
<https://www.nsingtech.com>

+86-755-86169100
518057

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

/



7.

8.

/

NSING TECHNOLOGIES INC.

109

+86-755-86309900

+86-755-86169100


<https://www.nsingtech.com>

518057


3

~ 1

3.1.1



3.1.2




3.2

2021




3.3.1






3.4

3.4.1




3.4.2




3.5

3.5.1




3.6

3.6.1



3.7

3.7.1



3.7.2



Symbol	millimeters			inches ⁽¹⁾		
	Min	Tvp	Max	Min	Tvp	Max
A	0.0630	A	0.0630	1.600		
b	0.220	0.270	0.0067	0.0106	b	0.170
D1	19.800	20.000	20.200	0.7795	0.7874	0.7953
D3	17.500	17.500	17.500	0.689		
E3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
F3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
G3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
H3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
I3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
J3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
K3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
L3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
M3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
N3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
O3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
P3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
Q3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
R3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
S3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
T3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
U3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
V3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
W3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
X3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
Y3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246
Z3	0.0197	0.0197	0.0197	0.00246	0.00246	0.00246

